

Practice Set for Airmen Group -XY

This Section is taken from the Book:



ISBN: 9789389645422

This book is available at all leading physical book stores and online book stores.

To view complete books visit.



To download complete catalogue click https://amzn.to/2GXTMyA or visit QR.



PRACTICE SET



ENGLISH LANGUAGE

- 1. Find the meaning of the given word.
- . Luxuriant
 - (a) Luxury loving
- (b) Lovely
- (c) Rich
- (d) Abundant
- 2. Find the word opposite in meaning to the given word.

Florid

- (a) Weak
- (b) Pale
- (c) Monotonous
- (d) Ugly

DIRECTIONS (Qs. 3-7): *Find the correct alternative out of the four.*

- 3. The hotel was not too expensive,
 - (a) was it?
- (b) wasn't it?
- (c) is it?
- (d) isn't it?
- 4. Like humans, zoo animals must have a dentist their teeth.
 - (a) fill
- (b) filled
- (c) filling
- (d) to be filled
- 5. It was very kind of you to do the washing-up, but you it.
 - (a) didn't have to do (b) hadn't to do
 - (c) mightn't have done (d) mustn't have done
- 6. He went sea alone.
 - (a) in
- (b) to
- (c) into
- (d) on
- The _____ of our civilization from an agricultural society to today's complex industrial world was accompanied by war.
 - (a) adjustment
- (b) migration
- (c) route
- (d) metamorphosis

DIRECTIONS (Qs. 8-9): Find out which part of a sentence has an error. The number of that part is your answer. If there is no error, Your answer is (d) i.e., No error.

- 8. He is a university professor (a)/ but of his three sons (b)/ neither has any merit. (c)/ No error (d)
- 9. After knowing truth, (a)/ they took the right decision (b)/ in the matter. (c)/ No error (d)

DIRECTIONS (Qs. 10-11): Find the one which can be substituted for the given words/sentence.

- 10. An underhand device resorted to in order to justify misconduct
 - (a) Subterfuge
- (b) Manoeurce
- (c) Stratagem
- (d) Complicity
- 11. Impossible to describe
 - (a) Miraculous
- (b) Ineffable
- (c) Stupendous
- (d) Appalling
- 12. Find the correctly spelt word.
 - (a) collaborate
- (b) comemorate
- (c) colate
- (d) choclate
- 13. Find the alternative which best expresses the meaning of the Idiom/Phrase.

A bolt from the blue

- (a) a delayed event
- (b) an inexplicable event
- (c) an unexpected event
- (d) an unpleasant event
- 14. Change the voice

India won the match.

- (a) The match had been won by India.
- (b) The match was won by India.
- (c) The match were won by India.
- (d) None of the above.
- 15. Identify the indirect speech

She says, "Reema comes late".

- (a) She said that Reema comes late.
- (b) She says that Reema comes late.
- (c) She says that Reema came late.
- (d) She says that Reema was coming late.



DIRECTIONS (Qs. 16-18): Read the following passage carefully and choose the best answer to each question out of the four given alternatives.

On a surface which is free from obstacles, such as a clear road or path, only two or three species of snakes can hope to catch up with a human being, even if they are foolish to try. A snake seems to move very fast but its movements are deceptive. In spite to the swift, wave-like motions of its body, the snake crawls along the ground at no more than the speed of a man's walk. It may, however, have an advantage inside a jungle, where the progress of a man is obstructed by thorny bushes. But in such places, the footsteps of a man are usually more than enough to warn snakes to keep away. Although they have no ears of the usual kind, they can feel slight vibrations of the ground through their bodies, and thus get an early warning of danger.

- What is deceptive about the snake is its
 - (a) speed
- (b) crawling
- sense of direction (d) movement
- The snake has an advantage over men inside a jungle, because there
 - it can crawl faster
 - (b) man's movement is obstructed
 - it is dark
- (d) it gets warning
- 18. What helps snakes to receive advance warning is their sensitivity to
 - (a) light
- (b) smell
- (c) darkness
- (d) movements
- Form an adjective from the given word
 - (a) The hero
- (b) Heroes
- Heroic (c)
- (d) Heroism
- Give the plural of the given word
 - Bacterium

(a)

- (b) Bacteria
- **Bactrias** (c)

Bacterias

(d) Bacteriums

PHYSICS

- 21. The velocity of sound in any gas depends upon
 - wavelength of sound only
 - (b) density and elasticity of gas
 - (c) intensity of sound waves only
 - amplitude and frequency of sound

- 22. Number of electrons in 1 mC charge will be
 - 1.8×10^{-16} (a)
- (b) 1.6×10^{16}
- 6.25×10^{15} (c)
- (d) 6.25×10^{17}
- The angle of contact between pure water and 23. pure glass, is
 - (a) 0°
- (b) 45°
- 90° (c)
- 135° (d)
- Newton's second law gives the measure of
 - acceleration
 - (b) force
 - (c) momentum
 - angular momentum
- 25. The dimensional formula of pressure is
 - $[MLT^{-2}]$ (a)
- (b) $[ML^{-1}T^2]$
- $[ML^{-1}T^{-2}]$ (c)
- (d) $[MLT^2]$
- According to Hooke's law of elasticity, if stress is increased, then the ratio of stress to strain
 - becomes zero (a)
 - (b) remains constant
 - (c) decreases
 - (d) increases
 - A particle executing S.H.M. having amplitude 0.01 m and frequency 60 Hz. Determine maximum acceleration of particle.
 - (a) $128 \,\pi^2 \,\text{m/s}^2$
- $512 \,\pi^2 \,\mathrm{m/s^2}$
- $144 \, \pi^2 \, \text{m/s}^2$ (c)
- $676 \, \pi^2 \, \text{m/s}^2$ (d)
- 28. The ratio of the numerical values of the average velocity and average speed of a body is always
 - (a) unity
- (b) unity or less
- (c) unity or more
- less than unity (d)
- According to Kepler, the period of revolution of a planet (T) and its mean distance from the sun (r) are related by the equation
 - $T^3r^3 = constant$ (a)
 - (b) $T^2r^{-3} = constant$
 - $Tr^3 = constant$ (c)
 - $T^2r = constant$
- What temperature is the same on celsius scale as well as on Fahrenheit scale?
 - -212°C (a)
- −40°C (b)
- −32°C
- (d) 32°C
- A moves with 65 km/h while B is coming back of A with 80 km/h. The relative velocity of B with respect to A is
 - (a) $80 \, \text{km/h}$
- $60 \, \text{km/h}$ (b)
- 15 km/h (c)
- 145 km/h (d)



| 32. | In changing the state of thermodynamics from | |
|-----|---|-------------------------|
| | A to B state, the heat required is Q and the work | |
| | done by the system | is W. The change in its |
| | internal energy is | |

- (d) $\frac{Q-W}{2}$
- The spring extends by x on loading, then energy stored by the spring is (if T is the tension in spring and k is spring
 - (a) $\frac{T^2}{2k}$
- (b) $\frac{T^2}{2k^2}$
- (c) $\frac{2k}{T^2}$ (d) $\frac{2T^2}{k}$
- Two bodies of masses 2 kg and 4 kg are moving with velocities 2 m/s and 10 m/s respectively along same direction. Then the velocity of their centre of mass will be
 - (a) $8.1 \,\mathrm{m/s}$
- (b) $7.3 \,\text{m/s}$
- $6.4 \,\mathrm{m/s}$ (c)
- (d) $5.3 \,\mathrm{m/s}$
- At constant pressure, the ratio of increase in volume of an ideal gas per degree rise in kelvin temperature to its original volume is (T =absolute temperature of the gas)
 - (a) T^2
- 1/T(c)
- (d) $1/T^2$
- Two charges are at a distance d apart. If a copper

plate of thickness $\frac{d}{2}$ is kept between them, the

effective force will be

- (a) F/2
- (b) zero
- $\sqrt{2}$ F
- 37. The magnetism of magnet is due to
 - the spin motion of electron (a)
 - (b)
 - pressure of big magnet inside the earth (c)
 - cosmic rays
- 38. How many NAND gates are used in an OR gate?
 - (a) four
- (b) two
- three (c)
- (d) five

- Which of the transitions in hydrogen atom emits a photon of lowest frequency?
 - n = 2 to n = 1
- (b) n = 4 to n = 3
- n = 3 to n = 1(c)
- (d) n = 4 to n = 2
- 40. Lenz's law gives
 - (a) the magnitude of the induced e.m.f.
 - the direction of the induced current (b)
 - both the magnitude and direction of the induced current
 - the magnitude of the induced current (d)
- The energy in monochromatic X-rays of wavelength 1 Å is roughly equal to
 - (a) $2 \times 10^{-15} \,\mathrm{J}$
- (b) $2 \times 10^{-16} \,\mathrm{J}$
- (c) $2 \times 10^{-17} \,\mathrm{J}$
- (d) $2 \times 10^{-18} \,\mathrm{J}$
- The phenomenon by which light travels in an optical fibres is
 - (a) Reflection
 - Refraction (b)
 - Total internal reflection (c)
 - Transmission
- 43. Which of the following shows green house effect?
 - (a) Ultraviolet rays
- (b) Infrared rays
- X-rays (c)
- (d) None of these
- The half life of a radio isotope is 5 years. The fraction which will decay in 15 years, will be
 - (a) 1/16
- (b) 3/4
- (c) 7/8
- (d) 5/8
- Two lenses of power + 12 and -2 dioptres are 45. placed in contact. The combined focal length of the combination will be
 - (a) 8.33 cm
- (b) 16.6 cm
- 12.5 cm (c)
- 10 cm (d)

MATHEMATICS

- A set contains (2n+1) elements. The number of 46. subsets of the set which contain at most n element is
 - 2^n (a)
- (b) 2^{n+1} (d) 2^{2n}
- 2^{n-1}
- If $R = \{ (x, y) : x, y \in I \text{ and } x^2 + y^2 \le 4 \}$ is a relation in I, the domain of R is
 - $\{0, 1, 2\}$
- (b) $\{-2, -1, 0\}$
- $\{-2, -1, 0, 1, 2\}$
- (d) I



- 48. If z_1 and z_2 are two non-zero complex numbers such that $|z_1 z_2| = |z_1| + |z_2|$, then arg z_1 arg z_2 is equal to
 - (a) $\frac{\pi}{2}$
- (b) $-\pi$
- (c) 0
- (d) $\frac{-7}{2}$
- 49. If 3 < |x| < 6, then x belongs to
 - (a) $(-6, -3) \cup (3, 6)$
- (b) (-6,6)
- (c) $(-3, -3) \cup (3, 6)$
- (d) None of these
- 50. Total number of four digit odd numbers that can be formed using 0, 1, 2, 3, 5, 7 (using repetition allowed) are
 - (a) 216
- (b) 375
- (c) 400
- (d) 720
- 51. The last digit in 7^{300} is:
 - (a) 7
- (b) 9
- (c)
- (d) 3
- 52. Consider the sequence 8A + 2B, 6A + B, 4A, 2A B,, Which term of this sequence will have a coefficient of A which is twice the coefficient of B?
 - (a) 10th
- (b) 14th
- (c) 16th
- (d) None of these
- 53. A triangle with vertices (4, 0), (-1, -1), (3, 5) is
 - (a) isosceles and right angled
 - (b) isosceles but not right angled
 - (c) right angled but not isosceles
 - (d) neither right angled nor isosceles
- 54. The lines 2x-3y 5 and 3x-4y=7 are diameters of a circle having area as 154 sq.units. Then the equation of the circle is
 - (a) $x^2 + y^2 2x + 2y = 62$
 - (b) $x^2 + y^2 + 2x 2y = 62$
 - (c) $x^2 + y^2 + 2x 2y = 47$
 - (d) $x^2 + y^2 2x + 2y = 47$
- 55. Value of $\lim_{x \to 0} \frac{\sqrt{1-\cos 2x}}{\sqrt{2}x}$ is
 - (a) 1
- (b) -
- (c) zero
- (d) does not exist

- 56. $\lim_{x \to 0} \cos \frac{1}{x}$:
 - (a) is continuous at x = 0
 - (b) differentiable at x = 0
 - (c) does not exist
 - (d) none of the there
- 57. If p, q, r are simple propositions, and $(p \land q) \land (q \land r)$ is true then
 - (a) p, q, r are all false
 - (b) p, q, r are all true
 - (c) p, q are true and r is false
 - (d) p is true and q and r are false
- 58. In a class of 100 students there are 70 boys whose average marks in a subject are 75. If the average marks of the complete class is 72, then what is the average of the girls?
 - (a) 73
- (b) 65
- (c) 68
- (d) 74
- 59. From eighty cards numbered 1 to 80, two cards are selected randomly. The probability that both the cards have the numbers divisible by 4 is given by
 - (a) $\frac{21}{316}$
- (b) $\frac{19}{31}$
- (c) $\frac{1}{4}$
- (d) None of these
- 60. Let $R = \{(1,3),(4,2),(2,4),(2,3),(3,1)\}$ be a relation on the set $A = \{1,2,3,4\}$. The relation R is
 - (a) reflexive
- (b) transitive
- (c) not symmetric
- (d) a function
- 51. The trigonometric equation $\sin^{-1} x = 2 \sin^{-1} a$ has a solution for
 - (a) $|a| \ge \frac{1}{\sqrt{2}}$
- (b) $\frac{1}{2} |a| \frac{1}{\sqrt{2}}$
 - (c) all real values of a
- (d) $|a| \le 1/\sqrt{2}$
- 62. If A and B are square matrices of size $n \times n$ such that $A^2 B^2 = (A B)(A B)$, then which of the following will be always true?
 - (a) A B
 - (b) AB BA
 - (c) either of A or B is a zero matrix
 - (d) either of A or B is identity matrix



63. If $1, \omega, \omega^2$ are the cube roots of unity, then

$$\Delta = \begin{vmatrix} 1 & \omega^n & \omega^{2n} \\ \omega^n & \omega^{2n} & 1 \\ \omega^{2n} & 1 & \omega^n \end{vmatrix}$$
 is equal to

- (a) ω^2
- (b) 0
- (c) 1
- (d) ω
- 64. If $A + B + C = \pi$, then

 $\cos 2A \cos 2B \cos 2C + 4 \sin A \sin B \sin C$ is equal to :

- (a) 0
- (b) 1
- (c) 2
- (d) 3
- 65. If $f(x) = \frac{1}{1-x}$, then the points of discontinuity of the function $f[f\{f(x)\}]$ are
 - (a) $\{0, -1\}$
- (b) {0,1}
- (c) $\{1, -1\}$
- (d) None of these
- 66. If function $f(x) = kx^3 9x^2 + 9x + 3$ is monotonic increasing in every interval then
 - (a) k < 3
- (b) k≤3
- (c) k > 3
- (d) k≥3
- 67. If $\int \frac{dx}{\sqrt{2ax-x^2}} = fog(x) + C$, then
 - (a) $f(x) = \sin^{-1} x, g(x) = \frac{x a}{a}$
 - (b) $f(x) = \sin^{-1} x, g(x) = \frac{x-a}{a}$
 - (c) $f(x) = \cos^{-1} x, g(x) = \frac{x-a}{a}$
 - (d) $f(x) = \tan^{-1} x, g(x) = \frac{x-a}{a}$
- 68. The area bounded by y = log x, x axis and ordinates x = 1, x = 2 is:
 - (a) $\frac{1}{2}(\log 2)^2$
- (b) log 2/e
- (c) log 4/e
- (d) log 4
- 69. The solution of the differential equation

$$2x\frac{dy}{dx} - y = 3 \text{ represents} -$$

- (a) Straight lines
- (b) Circles
- (c) Parabola
- (d) Ellipse
- 70. The solution of $x^3 \frac{dy}{dx} = 4x^2 \tan y = e^x \sec y$ satisfying y(1) = 0 is:
 - (a) $\tan y = (x-2)e^x \log x$
 - (b) $\sin y = e^x (x-1)x^{-4}$
 - (c) $\tan y = (x-1)e^x x^{-3}$
 - (d) $\sin y = e^x(x-1)x^{-3}$

REASONING & GENERAL AWARENESS

- 71. Arrange the following words as per order in the dictionary.
 - 1. Dyke 2. Dwindle 3. Dwell 4. Dye
 - (a) 3,2,4,1
- (b) 1,3,4,2
- (c) 2,1,3,4
- (d) 3,4,2,1

DIRECTION (Q. 72): In question, a series is given, with one term missing. Choose the correct alternative from the given ones that will complete the series.

- 72. CGJ, KOR, TXA, ?
 - (a) ACE
- (b) JDP
- (c) FJM
- (d) UWY
- 73. Find the wrong number in the series.
 - 28 33 31 36 34 29
 - (a) 33
- (b) 36
- (c) 34
- (d) 29
- 74. In a class of 45 students, a boy is ranked 20th. When two boys joined, his rank was dropped by one. What is his new rank from the end?
 - (a) 25th
- (b) 26th
- (c) 27th
- (d) 28th
- 75. Introducing a girl, Ram said to his son-in-law. "Her brother is the only son of my brother-in-law." Who is the girl of Ram?
 - (a) Sister-in-law
- (b) Niece
- (c) Daughter
- (d) Sister
- 76. From the given alternative words, select the word which can be formed using the letters of the given word:


AMPLIFICATION

- (a) ACTOR
- (b) MANOR
- (c) CHAMP
- (d) MANIA



- 77. If BLACKSMITH is coded as CNBELUNKUJ, then CHILDREN will be coded as?
 - (a) DIJMESFO
- (b) DJJNETFP
- (c) DJINETEP
- (d) DJJNETEP
- 78. Which figure represents the relation among Computer, Internet and Information Communication Technology?










79. Choose the correct alternative.



- (a) 422
- (b) 374
- (c) 256
- (d) 342
- 80. Murthy drove from town A to town B. In the

first hour, he travelled $\frac{1}{4}$ of the journey. In the

next one hour, he travelled $\frac{1}{2}$ of the journey. In

the last 30 minutes, he travelled 80 km. Find the distance of the whole journey.

- (a) 240km
- (b) 300km
- (c) 320km
- (d) 360km
- 81. Find the answer of the following:

$$7 + 3 = 421$$

11 + 7 = 477


9 + 5 = 445

6+2=?


- (a) 444
- (b) 412
- (c) 475
- (d) 487

- 82. Ashok's mother was 3 times as old as Ashok 5 years ago. After 5 years she will be twice as old as Ashok. How old is Ashok today?
 - (a) 10 years
- (b) 15 years
- (c) 20 years
- (d) 25 years
- 83. If a mirror is placed on the line MN, then which of the answer figures is the correct image of the question figure?

Question figure:



Answer figures :



84. How many triangles are there in the following figure?




DIRECTION (Q. 85): In question, which answer figure will complete the pattern in the question figure?

85. Question figure:



Answer Figures:






Which of the answer figures is not made up only by the components of the question figure? **Question figure:**



Answer figures:




A piece of paper is folded and cut as shown below in the question figures. From the given answer figures. indicate how it will appear when opened.

Question figure:





Answer Figures:



- When the price of a radio was reduced by 20%, its sale increased by 80%. What was the net effect on the sale?
 - 44% increase (a)
- 44% decrease (b)
- 66% increase
- (d) 75% increase
- Ravi's salary is 150% of Amit's salary. Amit's salary is 80% of Ram's salary. What is the ratio of Ram's salary to Ravi's salary?
 - (a) 1:2
- (b) 2:3
- 5:6
- (d) 6:5
- 90. At what percentage above the cost price must an article be marked so as to gain 33% after allowing the customer a discount of 5%?
 - (a) 48%
- (b) 43%
- (c) 40%
- (d) 38%

- A cricket player after playing 10 tests scored 100 runs in the 11th test. As a result, the average of his runs is increased by 5. The present average of runs is
 - (a) 45
- (b) 40
- (c)
- (d) 55
- 92. Which Amendment Act is referred as mini constitution?
 - 7th Constitutional Amendment Act, 1956 (a)
 - 24th Constitutional Amendment Act, 1971 (b)
 - 42nd Constitutional Amendment Act, 1976 (c)
 - (d) 44th Consitutional Amendment Act, 1978
- 93. Chromosomes are made up of
 - (a) DNA
- (b) Protein
- DNA and Protein (c)
- (d) RNA
- Presidential form of government consists of the following?
 - Popular election of the President (a)
 - No overlap in membership between the executive and the legislature
 - (c) Fixed term of office
 - All of the above
- Which of the following places of Sikh religious heritage is not in India?
 - Nankana Sahib
- (b) Nanded
- (c) Paonta Sahib
- (d) Keshgarh Sahib
- 96. Who was the author of "India of My Dreams"?
 - J.B. Kripalani
- (b) M.K. Gandhi
- GK. Gokhale
- (d) Jawaharlal Nehru
- How many players are there in a Polo team?
 - (a)
- (b) 7
- (c)
- (d) 6
- 98. Hemophilia is
 - caused by bacteria (a)
 - (b) caused by virus
 - caused by pollutants (c)
 - a hereditary defect
- Which Indian actress got featured in the Time's '100 Most Influential People' of 2018?
 - Deepika Padukone (b) Priyanka Chopra
 - Anushka Sharma (d) Vidya Balan
- 100. When is the World Liver Day observed every year?
 - (a) 16-Apr
- (b) 17-Apr
- 18-Apr (c)
- (d) 19-Apr



Hints & Explanations

- (d) The word Luxuriant (Adjective) means: growing thickly and strongly; rich in something that is pleasant or beautiful; abundant.
- (b) The word Florid (Adjective) means: rosy; gaudy; ornated; red; having too much decoration or detail.
 The word Pale (Adjective) means: light in colour; not strong or bright; having skin
- 3. (a) was it? is the correct question tag
- 4. (c) Must have a dentist filling is the correct use of tense.

that is almost white because of illness.

- 5. (d) Correct use of tense in the given context
- 6. (c) Alone supports the preposition 'into'
- 7. (d) It means a striking alteration in appearance, character etc.
- 8. (c) Neither is used for two things. For more than two things, none should be used.
- 9. (a) **After knowing the truth** will be correct usage.
- 10. (b)
- 11. (b) Too extreme to be described in words.
- 12. (a) Correct spellings of other words are : commemorate, collate and chocolate.
- 13. (c) Idiom 'a bolt from the blue' means: an event or a piece of news which is sudden and unexpected; a complete surprise.
- 14. (b)
- 15. (b)
- 16. (d) It is mentioned in the passage that The movement of the snakes is deceptive.
- 17. (b) man's movement is obstructed
- 18. (d)
- 19. (c)
- 20. (b)
- 21. (b) Velocity of sound in any gas depends upon density and elasticity of gas.
- 22. (c) q = ne, $q = 1 \text{ mC} = 10^{-3} \text{ C}$ $\therefore 10^{-3} = n \times 1.6 \times 10^{-19}$

$$\Rightarrow n = \frac{10^{-3}}{1.6 \times 10^{-19}} = 6.25 \times 10^{15}$$

- 23. (a) We know that angle of contact is the angle between the tangent to liquid surface at the point of contact and solid surface inside the liquid. In case of pure water and pure glass, the angle of contact is zero.
- 24. (b) $F = \frac{dp}{dt}$
- 25. (c) [Pressure] = [Force] / [Area] = $\frac{MLT^{-2}}{L^2}$ = $[ML^{-1}T^{-2}]$.
- 26. (b) The ratio of stress to strain is always constant. If stress is increased, strain will also increase so that their ratio remains constant.
- 27. (c) Maximum acceleration $a_{max} = \omega^2 A = 4\pi^2 n^2 A$ $= 4\pi^2 (60)^2 \times (0.01) = 144 \pi^2 \text{ m/s}^2$
- 28. (b) $\frac{|\text{Average velocity}|}{|\text{Average speed}|} = \frac{|\text{Displacement}|}{|\text{Distance}|} \le 1$
- 29. (b) $\frac{T^2}{r^3}$ = constant $\Rightarrow T^2 r^{-3}$ = constant
- 30. (b) $\frac{C}{5} = \frac{F 32}{9}$ Here C = F

$$\frac{C}{5} = \frac{C - 32}{9} \qquad \Rightarrow \qquad 9C = 5C - 160$$

$$4C = -160$$
 \Rightarrow $C = -40^{\circ}C$.

Thus at -40°C and -40°F the temperture is same.

- 31. (c) $\vec{v}_{BA} = \vec{v}_B \vec{v}_A = 80 65 = 15 \text{ km/hr}$ [: both are moving in the same direction]
- 32. (b) $\Delta Q = \Delta U + \Delta W$ $\Rightarrow \Delta U = \Delta Q - \Delta W = Q - W$ (using proper sign)
- 33. (a) $U = \frac{F^2}{2k} = \frac{T^2}{2k}$
- 34. (b) $\vec{v}_{cm} = \frac{m_1 \vec{v}_1 + m_2 \vec{v}_2}{m_1 + m_2}$ $= \frac{2 \times 2 + 4 \times 10}{2 + 4} = 7.3 m/s$




35. (c) At constant pressure

$$V \propto T \implies \frac{\Delta V}{V} = \frac{\Delta T}{T}$$

Hence ratio of increase in volume per degree rise in kelvin temperature to it's origianl volume

$$=\frac{(\Delta V/\Delta T)}{V}=\frac{1}{T}$$

- 36. (b) The dielectric constant for metal is infinity, the force between the two charges would be reduced to zero.
- 37. (a)
- (c) Three NAND gates can be grouped as follows to get an OR gate.




Boolean expression

$$Y (\overline{\overline{A} \overline{B}}) = \overline{\overline{A}} + \overline{\overline{B}}$$

 \Rightarrow Y = A + B, which is Boolean expression for a two input OR-gate.

39. (b) From diagram



$$E_1 = -13.6 - (-3.4) = -10.2 \text{ eV}$$

 $E_2 = -13.6 - (-1.51) = -12.09 \text{ eV}$
 $E_3 = -1.51 - (-0.85) = -0.66 \text{ eV}$
 $E_4 = -3.4 - (-0.85) = (-2.55) \text{ eV}$
 E_3 is least i.e., frequency is lowest.

- 40. (b)
- 41. (a) $E = hc/\lambda = 6.6 \times 10^{-34} \times 3 \times 10^{8}/1 \times 10^{-10}$ = $2 \times 10^{-15} \text{ J}$
- 42. (c) In optical fibre, light travels inside it, due to total internal reflection.
- 43. (b) Infrared radiations reflected by low lying clouds and keeps the earth warm.
- 44. (c) $T_{1/2} = 5 \text{ years}$; 15 years = $3T_{1/2}$ $N = \frac{N_0}{2^n} = \frac{N_0}{8}$; Fraction decayed

$$=\frac{N_0-N}{N_0} \quad \frac{7}{8}$$

45. (d) The combined power $P = P_1 + P_2 = 12 - 2 = 10 \text{ dioptres}$ $\therefore F = \frac{1}{10} \text{ m} = 10 \text{ cm}$

46. (d) Let
$$N = {}^{2n-1}C_0 = {}^{2n-1}C_1 = = {}^{2n-1}C_n$$

Multiplying by 2 on both side

$$2N = 2[{}^{2n-1}C_0 = {}^{2n-1}C_1 = = {}^{2n-1}C_n]$$

$$({}^{2n-1}C_0 = {}^{2n-1}C_{2n-1}) = ({}^{2n-1}C_1 = {}^{2n-1}C_{2n})$$

$$+ + ({}^{2n-1}C_n = {}^{2n-1}C_{2n-1})$$

$$= 2^{2n-1}C_0 = {}^{2n-1}C_1 = = {}^{2n-1}C_{2n-1}$$

$$= 2^{2n+1}$$

$$2N = 2^{2n}.2$$

$$\therefore N = 2^{2n}$$

47. (c) $x^2 + y^2 \le 4$, represents all points interior to the circle $x^2 - y^2 - 4$, hence $-2 \le x \le 2$ and $-2 \le y \le 2$ \therefore integral values of x are -2, -1, 0, 1, 2

48. (c) $|z_1 z_2| = |z_1| + |z_2| \Rightarrow z_1$ and z_2 are collinear and are to the same side of origin; hence $\arg z_1 - \arg z_2 = 0$.

- 49. (a) We have, $3 < |x| < 6 \implies -6 < x < -3$ or 3 < x < 6 $\therefore x \in (-6, -3) \cup (3, 6)$
- 50. (d) Required number of numbers = $5 \times 6 \times 6 \times 4 = 36 \times 20 = 720$. 51. (c) We have, $7^1 = 7$, $7^2 = 7 \times 7 = 49$
- 51. (c) We have, $7^1 = 7$, $7^2 = 7 \times 7 = 49$ $7^3 = 7 \times 7 \times 7 = 343$ $7^4 = 7 \times 7 \times 7 \times 7 = 2401$ $7^5 = 7 \times 7 \times 7 \times 7 \times 7 = 16807$ Last digit of $7^1 = 7$, $7^2 = 9$, $7^3 = 3$, $7^4 = 1$ and $7^5 = 7$ thus cycle of last digit repeats at 7^5 . \therefore Last digit of $7^{300} = 1$
- 52. (d) 8 + (n-1)(-2) = 2(2 + (n-1)(-1)) $\Rightarrow 10 = 6$ which is absurd

53. (a)
$$AB = \sqrt{(4+1)^2 + (0+1)^2} = \sqrt{26}$$
;
 $BC = \sqrt{(3+1)^2 + (5+1)^2} = \sqrt{52}$
 $CA = \sqrt{(4-3)^2 + (0-5)^2} = \sqrt{26}$;



..
$$AB = CA$$

.. $(\sqrt{26})^2 + (\sqrt{26})^2 = 52$
 $\Rightarrow BC^2 = AB^2 + AC^2$
So, the given triangle is isosceles right angled.

54. (d) $\pi r^2 = 154 \Rightarrow r = 7$ To find the centre we some equations 2x - 3y = 5 and 3x - 4y = 7, we get x = 1, y = -1 \therefore centre = (1, -1)Equation of circle, $(x-1)^2$ $(y 1)^2$ 7^2 $x^2 + v^2 - 2x + 2v + 47$

55. (d) Consider

$$\lim_{x \to 0} \frac{\sqrt{1 - \cos 2x}}{\sqrt{2}x} \quad \lim_{x \to 0} \frac{\sqrt{1 - (1 - 2\sin^2 x)}}{\sqrt{2}x} ;$$

$$\lim_{x \to 0} \frac{\sqrt{2\sin^2 x}}{\sqrt{2}x} \quad \lim_{x \to 0} \frac{|\sin x|}{x}$$

The limit of above does not exist as $LHS = -1 \neq RHL = 1$

- 56. (c) $\lim_{x\to 0} \cos \frac{1}{x}$ does not exist because $\cos \frac{1}{0} = \cos \infty$ does not exist. and $\cos \frac{1}{x}$ is an oscillation function.
- 57. (b) $(p \land q) \land (q \land r)$ is true means $p \land q \land q \land r$ are both true. $\Rightarrow p, q, r$ are all
- 58. (b) Total student = 100; For 70 students total marks = $75 \times 70 = 5250$ \Rightarrow Total marks of girls = 7200 - 5250

Average of girls = $\frac{1950}{30}$ = 65

- 59. (b) Total no. of divisible by 4 between 1 to 80 80 = 4 + (n-1)480 = 4 n $\Rightarrow n=20$ $\therefore \text{ Required probability} = \frac{^{20}\text{C}_2}{^{80}\text{C}_2} = \frac{19}{316}$
- 60. (c) $(2,3) \in \mathbb{R}$ but $(3,2) \notin \mathbb{R}$:. R is not symmetric

- 61. (d) $\sin^{-1} x = 2\sin^{-1} a$ $\Rightarrow -\frac{\pi}{2} \le \sin^{-1} x \le \frac{\pi}{2} \Rightarrow -\frac{\pi}{2} \le 2\sin^{-1} a \le \frac{\pi}{2}$ $\Rightarrow -\frac{\pi}{4} \le \sin^{-1} a \le \frac{\pi}{4} \Rightarrow \sin\left(-\frac{\pi}{4}\right) \le a \le \sin\frac{\pi}{4}$ or, $\frac{-1}{\sqrt{2}} \le a \le \frac{1}{\sqrt{2}} : |a| \le \frac{1}{\sqrt{2}}$
- 62. (b) $A^2 B^2 = (A B)(A B)$ $A^2 - B^2 \qquad A^2 \qquad AB - BA - B^2$ $\Rightarrow AB \qquad BA$
- 63. (b) $\Delta = \begin{vmatrix} 1 & \omega^n & \omega^{2n} \\ \omega^n & \omega^{2n} & 1 \\ \omega^{2n} & 1 & \omega^n \end{vmatrix}$

 $= 1 \omega^{3n} - 1 - \omega^n \omega^{2n} - \omega^{2n} + \omega^{2n} \omega^n - \omega^{4n}$ $=\omega^{3n}-1-0+\omega^{3n}-\omega^{6n}$ $=1-1+1-1=0\left[\because \omega^{3n} \quad 1\right]$

(b) If $A + B + C = \pi$, then cos mA cos mB cos mC $=1-4\sin\frac{mA}{2}\sin\frac{mB}{2}\sin\frac{mC}{2}$ For m=2

cos 2A cos 2B cos 2C $= 1 - 4 \sin A \sin B \sin C$ $\Rightarrow \cos 2A \cos 2B \cos 2C$

4sin Asin Bsin C 1

65. (b) We have, $f(x) = \frac{1}{1-x}$

64.

As at x = 1, f(x) is not defined, x = 1 is a point of discontinuity of f(x).

If $x \ne 1$, $f[f(x)] = f\left(\frac{1}{1-x}\right) = \frac{1}{1-1/(1-x)} = \frac{x-1}{x}$ \therefore x = 0, 1 are points of discontinuity of f [f(x)]. If $x \neq 0$, $x \neq 1$

$$f[f\{f(x)\}] = f\left(\frac{x-1}{x}\right) = \frac{1}{1 - \frac{(x-1)}{x}} x$$
.



66. (d). f(x) is monotonic increasing

$$\Rightarrow$$
 f'(x)>0

$$\Rightarrow 3kx^2 - 18x + 9 > 0$$

$$\Rightarrow$$
 kx²-6x+3>0

which is positive only when k > 0 and $b^2 - 4ac$

i.e. when $(-6)^2 - 4(k)(3) \le 0$ or when $k \ge 3$

67. (b)
$$\int \frac{dx}{\sqrt{2ax-x^2}} = \int \frac{dx}{\sqrt{a^2-(x^2-2ax-a^2)}}$$

$$= \int \frac{\mathrm{dx}}{\sqrt{a^2 - (x - a)^2}} = \sin^{-1} \left(\frac{x - a}{a}\right) C$$

$$\therefore f(x) = \sin^{-1} x \text{ and } g(x) = \frac{x - a}{a}$$

68. (c) The area bounded by $y = \log x$ x-axis and ordinates x = 1, x = 2 is equal to

$$\int_{1}^{2} y \, dx \qquad \int_{1}^{2} \log x \, dx \qquad \int_{1}^{2} (1 \times \log x) \, dx$$

We integrate it by parts by taking $\log x$ as 1^{st} function and 1 as 2^{nd} function.

$$= x \log x \Big|_{1}^{2} - \int_{1}^{2} \frac{1}{x} . x dx$$

$$= (2\log 2 - \log 1) - x\big|_{1}^{2}$$

$$= (\log 2^2 - \log 1) - (2 - 1)$$

$$= \log 2^2 - \log 1 - 1$$

$$= \log 4 - \log e = \log \frac{4}{e}$$

$$= \log 4 - \log e = \log \frac{4}{e}$$
69. (c) $2x \frac{dy}{dx} = y + 3 \Rightarrow 2 \frac{dy}{y + 3} = \frac{dx}{x}$

 $2 \log (y+3) = \log x + \log c$ $(y+3)^2 = cx, \text{ which is a parabola}$

70. (b) Rewriting the given equation in the form

$$x^4 \cos y \frac{dy}{dx} = 4x^3 \sin y = xe^x$$

$$\Rightarrow \frac{d}{dx}(x^4 \sin y) \quad xe^x$$


$$\Rightarrow x^4 \sin y \quad \int xe^x dx \quad c = (x-1)e^x \quad c$$


Since, y(1) = 0 so, c = 0.

Hence, $\sin y = x^{-4}(x-1)e^x$

71. (a) 3,2,4,1 is the correct order.

(c) The pattern of the series is as follows:





74. (c) After 2 boys joined, total strength of class =45+2=47

> As, rank was dropped by one from 20th rank, new rank is 21st.

Rank of the boy from the beginning = 21

No. of students below his rank = 47 - 21 = 26

Rank from the end = $(47-21)+1 \Rightarrow 27$.

Brother-in-law 75. (b) (Ram)Husband =

Hence, girl is the niece of Ram.

- **MANIA** 76. (d)
- 77. (b) As,

(b)

78.

 $170 \times 2 + 2$ = 34279. (d) $86 \times 2 - 2$ 2 = 170 $42 \times 2 + 2$ $2 \times 2 + 2$ = 86=6 $22 \times 2 - 2$ $6 \times 2 - 2$ =42= 10

 $\begin{array}{r}
10 \times 2 + 2 \\
= 22
\end{array}$



Let total Journey = x km. (c)

Ist hour, he travelled = $\frac{x}{4}$ km.

Next hour, he travelled = $\frac{x}{2}$ km.

Total distance travelled = $\left(\frac{x}{4} + \frac{x}{2}\right)$ km

$$=\frac{3x}{4}$$
km

Remaining distance = $\left(x - \frac{3x}{4}\right)$ km

$$=\frac{x}{4}$$
km

It is given that, last last 30 min, he travelled = 80 km

$$\Rightarrow \frac{x}{4} = 80$$

$$x = 320 \text{ km}$$
.

(b) As, $7+3=421=(7-3)(7\times3)$

$$11 + 7 = 477 = (11 - 7)(11 \times 7)$$

$$9+5=445=(9-5)(9\times5)$$

 $6+2=(6-2)(6\times2)=412$

$$6+2=(6-2)(6\times 2)=412$$

(b) Suppose the present age of Ashok is x 82. years and that of his mother is y years.

5 years ago

$$3(x-5)=(y-5)$$

$$3x-15 = y-5$$

$$3x - y = 10$$
 ...(i)

5 years hence,

$$2(x+5)=(y+5)$$

$$2x + 10 = y + 5$$

$$2x-y=-5$$
 ...(ii)

From equations (i) and (ii)

$$x = 15$$
 years

(b) 85. (c) 86. (c) 87. (a)

88. (a) Let the original price be x and sale be of y units.

> Then, the revenue collected initially = $x \times y$ Now, new price = 0.8x, new sale = 1.8yThen, new revenue collected = 1.44xy

> % increase in revenue = $\frac{0.44xy}{xy} \times 100 = 44\%$

Shortcut Method

Net effect =
$$-20 + 80 + \frac{(-20 \times 80)}{100}$$

$$=60-16=44\%$$

89. (c) Let the salary of Ram be ₹ 100.

Then, salary of Amit = ₹80

and salary of Ravi = 150% of 80 = ₹120

Ratio of Ram's salary to Ravi's salary = 100: 120 = 5:6

90. (c) Let the cost price be ₹ 100.

Let the marked price be ₹x. The SP of ₹133 has been arrived after giving a discount of 5% on marked price.

i.e.
$$x \times 0.95 = ₹133$$

⇒
$$x = \frac{133}{0.95} = ₹.140$$

Required increase = $\mathbf{\xi} 140 - \mathbf{\xi} 100 = \mathbf{\xi} 40$ Hence required percentage = 40%.

(c) If the average in 10 tests be x, then,

$$\frac{x \times 10 \quad 100}{11} = x + 5$$

$$x \times 10 + 100 = (x + 5) \times 11$$

$$\Rightarrow 11x - 10x = 100 - 55$$

$$\Rightarrow$$
x=45

 \therefore Required average = 50

- 92. 93. (c) 94. (d) 95. 96. (b)
- 97. 98. (d) 99. (a) 90. (d)